

# ONIX 206/216

---

## ACCESSIBLE TO EVERYONE

Discover **ONIX 206/216**, with its 15.6" screen for intuitive, easy navigation. Designed to be accessible to all, this product combines performance and ease of use. Our ONIX range meets all your needs. Enjoy quality at an affordable price.

---



[www.rmshpos.co.uk](http://www.rmshpos.co.uk)

## TECHNICAL SPECIFICATION

## CONFIGURATION

Screen Size	15.6" 16/9
Resolution	1920 x 1080
Touch Panel	PCAP multipoint
Speakers	1 x 2W
VESA compatible	

## ONIX 206

## PROCESSOR

Processor	Intel Elkhart Lake J6412
-----------	--------------------------

## MEMORY

RAM	4GB DDR4
Storage	128GB M2 SSD

## I/O

LAN	1
USB 3.0	2
USB 2.0	4
USB C	1
FeDP	1
RS232	3
Cash drawer	1

## OS COMPATIBILITY

OS	Windows 10, Windows 11
----	------------------------

## DIMENSIONS

L x W x H	360 x 200 x 320 mm
-----------	--------------------

## WEIGHT

Weight	5.4kg
--------	-------

## COLOUR

Colour	Black
--------	-------

## VARIOUS

Certification	FCC/CE Class A, LVD, CE Mark
Operating temp.	0°C-35°C
Storage temp.	-10°C-50°C
Humidity	20%-85% without condensation

## OPTIONS

Customer Display
2nd screen 11.6"
MSR Reader
iButton Reader
Fingerprint Reader
WIFI Dongle
8GB DDR4 Memory
SSD 250GB NVMe

## CONTACT US

RMS  
Unit 006 Ettrick Riverside, Dunsdale Road,  
Selkirk, TD7 5EB  
Tel: 01750700527  
enquiries@rmspos.co.uk - www.rmspos.co.uk



## TECHNICAL SPECIFICATION

## CONFIGURATION

Screen Size	15.6" 16/9
Resolution	1920 x 1080
Touch Panel	PCAP multipoint
Speakers	1 x 2W
VESA compatible	

## ONIX 216

## PROCESSOR

Processor	Intel Tiger Lake i3-1115G4
-----------	----------------------------

## MEMORY

RAM	8GB DDR4
Storage	128GB M2 SSD

## I/O

LAN	1
USB 3.0	2
USB 2.0	4
USB C	1
FeDP	1
RS232	3
Cash drawer	1

## OS COMPATIBILITY

OS	Windows 10, Windows 11
----	------------------------

## DIMENSIONS

L x W x H	360 x 200 x 320 mm
-----------	--------------------

## WEIGHT

Weight	5.4kg
--------	-------

## COLOUR

Colour	Black
--------	-------

## VARIOUS

Certification	FCC/CE Class A, LVD, CE Mark
Operating temp.	0°C-35°C
Storage temp.	-10°C-50°C
Humidity	20%-85% without condensation

## OPTIONS

Customer Display
2nd screen 11.6"
MSR Reader
iButton Reader
Fingerprint Reader
WIFI Dongle
SSD 250GB NVMe

## CONTACT US

RMS  
Unit 006 Ettrick Riverside, Dunsdale Road,  
Selkirk, TD7 5EB  
Tel: 01750700527  
enquiries@rmspos.co.uk - www.rmspos.co.uk

